



Introduction

The Atlona AT-VTP-1000VL is a Velocity System 10" touch panel with integrated surround LED lighting. It features contemporary, refined styling with 1280×800 native resolution, and a capacitive glass surface that supports multi-touch. The large 10" touch panel provides additional space for more complex user control of video walls, high density matrix switchers, audio DSP's, or other applications that have greater control function requirements. Bright LED lighting surrounding the edge of the panel is ideal for providing a visual representation of room status in scheduling applications or for adding emphasis to AV control functions. The panel ships with a dual-purpose one-gang wall/glass mount kit, that is a standard VESA 75 pattern to provide compatibly with a wide variety of other options. The VTP-1000VL features Power over Ethernet (PoE), enabling a single network connection for data and power. Setting up the touch panel is easy, with room scheduling and AV control GUIs automatically uploaded from the Velocity System hardware or software server gateway during system configuration.

Applications

- Ideal for large meeting rooms, board rooms, lecture hall, or video wall locations where more complex control functionality is required
- Ideal for lobbies, hallways, or outside of any meeting space that requires a quick and easy visual means of displaying room availability.

Key Features

10" touch panel

- More graphical user interface area.
- Supports complex applications that require a greater number of user controls.

Room scheduling and AV control touch panels

- Single, flexible touch panel platform that can be used for a variety of applications.
- Only need to stock a single panel to satisfy multiple requirements.

Surround LED lighting

- Lights on the entire outer frame of the touch panel can be configured for room scheduling or AV control functions.
- LED's can be easily seen from the side in either landscape or portrait orientation.

Fast streamlined setup

- Automatic network discovery and configuration by a Velocity System Gateway.
- Room scheduling and AV control GUIs are automatically loaded by a single configuration tool.

Contemporary styling

- Refined aesthetics.
- Modern appearance matches any environment.

Flexible mounting

- Dual-purpose one-gang wall/glass mount kit included.
- Standard VESA 75 pattern for compatibility with third party mounts.
- Optional AT-VTP-VTM tabletop mounting kit for placement on a meeting table or lectern.

PoE

- Remotely powered via Power over Ethernet.
- Single cable network connection for data and power.

Specifications

Display	
Panel	5 point touch projected capacitive
Resolution	1280 x 800
Aspect Ratio	16:10 wide
Contrast Ratio	800:1
Viewing Angle	H 160° / V 160°
Viewing Area	10.1" LCD
Brightness	500 cd/m2

Mount	
Standard	VESA 75
Type	Wall and glass

Audio	
Speaker	2 x 2 W

Ethernet	
LAN	1 x RJ45, 10/100/1000Mbps

Temperature	Fahrenheit	Celsius
Operating	14 to 122	-10 to 50
Storage	-5 to 149	-15 to 65
Humidity (RH)	10% to 90%, non-condensing	

Power	
PoE	802.3af/at compliant

Dimensions	Inches	Millimeters
H x W x D	10.04 x 7.13 x 0.98	255 x 181 x 25

Weight	Pounds	Kilograms
Device	1.43	0.65

Certification	
Device	CE, FCC, RCM, China RoHS

Accessories

SKU	Description
AT-VTP-VTM	VESA Tabletop Mounting Kit for Velocity Control System Touch Panels